ROTENONE 5%EC

Rotenone is a naturally occurring botanical compound obtained from the roots of Derris sp. It is an inhibitor of mitochondrial electron transport, specifically inhibiting NAD-linked substrate oxidation by mitochondria at the oxygen side of NADH dehydrogenase. 50% inhibition of the activity is observed at 10 picomoles/mg protein.

Function:

It is used to control pieris rapae, spotted lady beetle, phaedon brassicae, aulacophora gemoralis, phyllotrela vittata, and cabbage webworm and so on. Dilute 1000 times to spry. It also can control cabbage aphid, aphis craccivora koch, cotton aphid and so on. Dilute 1000 times, spray when the dew is not dry in the morning. Formulation Dosage: 0.5-1.0 L/ha.



Uses and Dosage:

Main Crops	Typical Disease	Formulation	Diluted times	Methods of	PHI
		Dosage (g/ha)		Application	
Cruciferae	Aphides	84.35-109.5	800-1000	spray	
Vegetables					
Vegetables	pieris rapae	50-67.5	800-1000	spray	3 days
Rape	The beetle	60-67.5	500-800	spry	
Orchards	inchworm	67.5-75	500-800	spry	
Tea tree	smaller green	45-52.5	600-800	Spray	
	leafhopper				



Use precaution:

Respiratory protection: Breathing apparatus only if aerosol or dust is formed.

Hand protection: Pvc or other plastic material gloves

Skin and body protection: Usual safety precautions while handling the product will provide adequate protection

against this potential effect.

Eye protection: Safety glasses with side-shields

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

First aid: if accidental poisoning, wash the stomach with tannic acid or active carbon injectable suspension, inject in intravenous with glucose liquid, or inject the atropine in muscle, then send to see doctor.

Note:

It can not mix with alkaline pesticides

There is no starglow antidote, if swallow, go to see the doctor as soon as possible.

It is high toxicity to fish and bombyx mori, so avoid it touch liver water and mulberry.

It should be storage in cool and dry.

Safety interval: 3 days.



6/F INTER-CHINA BUILDING NO.116, DINGMAOQIAO ROAD, ZHENJIANG, JIANGSU, CHINA

TEL. NO.: 86-511-84416352; FAX NO.: 86-511-84441036